



www.indiacubicles.com

Corporate Brochure

+91 9880092223 :: sales@indiacubicles.com



Our Products

1. Nylon Model

NYLON MODEL is our most popular and versatile system for washroom cubicles and is suitable for any commercial application particularly in areas where high traffic is expected, offering strength and durability to suit tough environments with value for money.

The NYLON MODEL can be configured to suit any installation without compromising on style or appearance. The NYLON MODEL system is, floor mounted on Nylon Legs and is overhead-braced providing extra strength.













Sizes and configurations

Typical standard toilet cubicle size is 900mm wide x 1500mm deep overall. For showers, this depth can be extended to 1800mm overall with the inclusion of a wing wall and shower seat. The NYLON SEREIS can also be manufactured to suit non-standard sizes in accordance with design and building requirements. Please refer TYPICAL SHOP DRAWING of this series.

NYLON MODEL Cubicle shall be equipped with the following accessories

- Heat & Bacteria resistant Polyamide privacy thumb turn
- Extruded Anodized Aluminum U-Channel
- Heat & bacteria resistant Polyamide door knob
- Heat & bacteria resistant Polyamide coat hook
- Hinges with heat & bacteria resistant Polyamide cover
- AnnodisedAluminium Profile as top rail, 'U' and Stopper Channel
- Heat & bacteria resistant Polyamide adjustable
 leg
- Heat & bacteria resistant Polyamide door stopper lining

2. Stainless Steel Model

SS MODEL is also our most popular and versatile system for washroom cubicles and is suitable for any commercial application, offering strength and durability to suit tough environments with value for money.

The SS MODEL can be configured to suit any installation without compromising on style and appearance. The SS MODEL system is floor mounted on SS legs. All accessories are made of steel 304 / 316. U













Sizes and configurations

Typical standard toilet cubicle size is 900mm wide x 1500mm deep overall. For showers this depth can be extended to 1800mm overall with the inclusion of a wing wall and shower seat. The SS Series can also be made to suit non-standard sizes in accordance with design and building requirements. Please refer TYPICAL SHOP DRAWING of this series.

SS Model Cubicles shall be equipped with the following accessories in Grades of SS 304 grade

- Stainless Steel Privacy thumb turn
- SS coated U channel
- SS Door Knob.
- SS Coat Hook.
- SS Auto Return Hinges
- SS Coated Aluminum Top Profile
- SS Adjustable leg.
- SS Door stopper lining



Shoe Box model consists of 12mm thick phenolic compact laminate for door, pilaster and divider panel completed with Stainless Steel accessories and all the necessary fittings in accordance with manufacturer's details.

This model gives a sturdy and reliable compact cubicle look to your design.



Thickness	12mm
Lockset	Stainless Steel indicator lock
Hinges	Stainless Steel heavy duty gravity hinge
Coat Hook	Stainless Steel coat hook cum door stopper
Pilaster	Footing Stainless Steel or Aluminium shoe box

4. PD Door Model

PD Door Model consists of 10mm or 12mm thick phenolic compact laminate for door completed with Nylon or Stainless Steel accessories, heavy duty Aluminium and all the necessary fittings in accordance with manufacturer's details.

Model Delta is designed with simple and durable look for ready brick walls.



Thickness	12mm or 10mm (Optional)
Lockset	Nylon or Stainless Steel indicator lock
Hinges	Nylon or Stainless Steel heavy duty gravity hinge Stainless Steel non-self closing hinge
Coat Hook	Nylon Coat hook or Stainless Steel coat hook cum door stopper

5. Urinal Partitions

The Structure

- Each divider panel is equipped with SS L-clamp that attaches the divider to the wall.
- SU-304 screws are used for fixing the divider panel to the wall
- The partition panels are manufactured using 12 mm thick compact laminate
- As per international standards the gap of the divider from the ground should be 500-600 mm.



6. Compact Laminate


Compact Grade Laminate is a solid, high pressure and extremely durable decorative building Panel made from layers of quality Kraft papers impregnated with Phenolic resin, incorporating a clear overlay on both decorative faces, and manufactured under high pressure and temperature. The panel is a high performance material and is used extensively in the construction of toilet cubicles, toilet showers, rest rooms, partitions lockers & wall paneling etc. Compact laminates offer high resistance to water, heat and scratch.

Features of Compact Laminates

- Strong resistance to impact
- Long term stability
- Non toxic & totally hygienic
- Resistant to moisture & steam
- Resistant to chemicals
- Resistant to heat & cigarette burns
- Extremely durable.

Multipurpose Compact Laminate has a wide field of applications.

- Toilet and shower partition
- Toilets
- Toilet Partitions
- Rest rooms
- Changing rooms
- Partitions
- Rest room Cubicles
- Cubicles
- Shower Cubicles



7. Cleaning and Maintenance

The India Cubicle Solutions will give years of excellent service provided a few simple rules are followed:

Light dirt or stains can be removed easily with warm water and mild detergent. Stuborn marks should be removed using a non-abrasive cream cleaner or mild domestic bleach. Harsh abrasives of scouring powders should be avoided. Grease marks can be romoved with a proprietary paint and graffiti romover. Hair dyes, bleaches, caustic alkalis and strong mineral acids should be wiped should be wiped off within a short period.









423/1, Kalkere Village, K R Puram Hobli, Horamavu Post, Kalkere Main Road, Bangalore-560043

Registered Office

INDIA CUBICLE SOLUTIONS No. 5, Shanti layout main road, Ramamurthy Nagar, Bangalore - 560016.

Hyderabad Office

INDIA CUBICLE SOLUTIONS No 696, Sri Ram Nagar, B Block, Kondapur, Hyderabad, Rangareddy, Telangana - 560084.